CBSE 12th Chemistry 2017 Unsolved Paper All India

TIME - 3HR. | QUESTIONS - 30

THE MARKS ARE MENTIONED ON EACH QUESTION

SECTION - A

1. Out of CHCl₂ and CH₂CH₂Cl Which is an example of a benzylic halide? I mark

- 2. What is the effect of adding a catalyst on 1 mark
- (a) Activation energy (E_a) , and
- (b) Gibbs energy (ΔG) of a reaction?
- 3. Write the formula of the compound of iodine which is obtained when conc. HN_3 oxidises I_2 . I mark
- 4. What type of colloid is formed when a gas is dispersed in a liquid? Give an example. I mark
- 5. Write the IUPAC name of following compound: 1 mark

$$\begin{array}{c} \operatorname{CH_3} \\ | \\ \operatorname{CH_3} - \operatorname{O} - \operatorname{C} - \operatorname{CH_3} \\ | \\ \operatorname{CH_3} \end{array}$$

- **6. Draw the structures of the following:** 2 marks
- (a) XeF_4
- (b) BrF_5
- 7. Write the name of the cell which is generally used in transistors. Write the reactions taking place at the anode and the cathode of this cell. 2 marks
- **8.** (a) Arrange the following compounds in the increasing order of their acid strength: p-cresol, p-nitrophenol, phenol 2 marks
 - (b) Write the mechanism (using curved arrow notation) of the following reaction:

$$CH_2 = CH_2 \xrightarrow{H_3O^+} CH_3 - CH_2^+ + H_2O$$

Write the structures of the products when Butan-2-ol reacts with the following:

- (a) CrO_3
- (b) $SOCl_2$
- 9. Using IUPAC norms write the formulae for the following: 2 marks
- (a) Potassium trioxalatoaluminate(III)
- (b) Dichloridobis(ethane-1,2-diamine)cobalt(III)
- 10. Calculate the number of unit cells in 8.1 g of aluminium if it crystallizes in a face-centred cubic (f.c.c.) structure. (Atomic mass of $Al = 27 g \, mb$)
- 11. (a) What type of isomerism is shown by the complex $\left[Co(NH_3)_5 (SCN)^{2+}\right]$?
 - (b) Why is $\{NiCL_4\}^{2-}$ paramagnetic while $\{Ni(CN)_4\}^{2-}$ is demogenetic? (Atomic number of Ni = 28).
 - (c) Why are low spin tetrahedral complexes rarely observed?
- 12. Write one difference in each of the following:
- (a) Multimolecular colloid and Associated colloid
- (b) Coagulation and peptization
- (c) Homogeneous catalysis and Heterogeneous catalysis

OR

- (a) Write the dispersed phase and dispersion medium of milk
- (b) Write one similarity between Phys sorption and chemisorption.
- (c) Write the chemical method by which $Fe(OH)_3$ sol is prepare from $FeCl_3$.
- 13. (a) The cell in which the following reaction occurs:

$$2Fe^{3} + (aq) + 2I(aq) \rightarrow 2Fe^{2}(aq) + 2I(s)$$

Has $E_{cell}^0 = 0$. 236V at 298 Calculate the standard Gibbs, energy on the cell reaction. (Given: 1 F= 96,500 C mol^{-1})

- (b) How money electrons flow through a metallic wire if a current of 0-5 A is passed for 2 hours? (Given: $1 \text{ F} = 96,500 \text{ cmol}^{-1}$)
- 14. (a) Based on the nature of intermolecular forces, classify the following solids:

Sodium sulphate, Hydrogen

- (b) What happens when $CdCl_2$ is doped with AgCl?
- (c) Why do ferromagnetic substances show better magnetism than antiferromagnetic substances?

- 15. (a) Write the principle of electrolytic refining.
 - (b) Why does copper obtained in the extraction from copper pyrites have blistered appearance?
 - (c) What is the role of depressants in the froth floatation process? 3 marks
- 16. Write the structures of compounds A, B and C in the following reaction: 3 marks
 - (a) $CH_3-COOH \xrightarrow{NH_3/\triangle} A \xrightarrow{Br_2/KOH (aq)} B \xrightarrow{CHCl_3+alc. KOH} C$
- 17. Give reasons for the following:
- (a) Acetylation of aniline reduces its activation effect.
- (b) CH_3NH_2 is more basic than $C_6H_5NH_2$.
- (c) Although NH_2 o/p directing group, yet aniline on nitration gives a significant amount of m nitroaniline.: 3 marks
- 18. Give reasons for the following:
 - (a) Red phosphorus is less reactive than white phosphorus.
 - (b) Electron gain enthalpies of halogens are largely negative.
 - (c) N_2o_5 is more acidic than N_2O_3 . 3 marks
- **19. Define the following:** 3 marks
- (a) Cationic detergents
- (b) Broad spectrum antibiotics
- (c) Tranquilizers
- 20. Write the structures of the monomers used for getting the following polymers: 3 marks
- (a) Teflon
- (b) Melamine formaldehyde polymer
- (c) Neoprene
- **21.** The following compounds are given to you: 3 marks
 - 2 Bromo pentane, 2 Bromo 2 methylbutance, 1 Bromo pentane
 - (a) Write the compound which is most reactive towards Sn_2 rection.
 - (b) Write the compound which is optically active.
 - (c) Write the compound which is most reactive towards β ellminationaction.

22. A first order reaction takes 20 minutes for 25Vo decomposition. Calculate the time when 75% of the reaction will be completed. 3 marks

(Given:
$$\log 2 = 0.3010$$
, $\log 3 = 0.4771$, $\log 4 = 0.6021$)

23. After watching a programme on TV about the presence of carcinogens (cancer causing agents) Potassium bromate and Potassium iodate in bread and other bakery products, Rupali a Class XII student decided to make others aware about the adverse effects of these carcinogens in foods. She consulted the school principal and requested him to instruct the canteen contractor to stop selling sandwiches' pizzas' burgers and other bakery products to the students, the principal took an immediate action and instructed the canteen contractor to replace the bakery products with some protein and vitamin rich food like fruits, salads, sprouts, etc. The decision was welcomed by the parents and the students. 4 marks

After reading the above passage, answer the following questions:

- (a) What are the values (at least two) displayed by Rupali?
- (b) Which polysaccharide component of carbohydrates is commonly present in hread?
- (c) Write the two types of secondary structures of proteins.
- (d) Give two examples of water Soluble vitamins.
- **24.** Write the product (s) in the following reactions: 5 marks

(a)

(i)
$$\bigcirc^{0}$$
 + HCN \longrightarrow ?

(ii)
$$\sim$$
 COONs + NaOH \sim ?

(iii)
$$CH_3 - CH = CH - CN \xrightarrow{(a) DIBAL-H}$$
?

- (b) Give simple chemical tests to distinguish between the following pairs of compounds:
 - (i) Butanal and Butan-2-one,
 - (ii) Benzoic acid and Phenol

OR

- (a) Write the reactions involved in the following:
 - (i) Étard reaction
 - (ii) (ii) Stephen reduction
- (b) How will you convert the following in not more than two steps:
 - (i) Benzoic acid to Benzaldehyde
 - (ii) (ii) Acetophenone to Benzoic acid
 - (iii) (iii) Ethanoic acid to 2-Hydroxyethanoic acid

- 25. (a) Account for the following:
- (i) Transition metals show variable oxidation states.
- (ii) Zn, Cd and Hg are soft metals.
- (iii) E^0 value for the Mn^{3+}/Mn^{2+} couple is highly positive (+1.57 V) as compared to $Cr^3 + Cr^2$
- (b) Write one similarity and one difference between the chemistry of lanthanoid and actinoid. elements.

OR

(a) Following are the transition metal ions of 3d series:

$$Ti^{4+}$$
, $\sqrt[3]{r}$, $M^{3}n^{+}$, $C^{3}r^{+}$ (Atomic numbers) $Ti = 22$, $V = 23$, $Mn = 25$, $Cr = 24$)

Answer the following:

- (i) Which ion is most stable in an aqueous solution and why?
- (ii) Which ion is a strong oxidising agent and why?
- (iii) Which ion is colourless and why?
- (b) Complete the following equations:

(i) 2
$$MnO_4^- + 16 H^+ + 5 S^{2-} \longrightarrow$$

(ii)
$$KMnO_4$$
 heat

26. (a) A 10% solution (by mass) of sucrose in water has a freezing point of 269.15 K. Calculate the freezing point of 10% glucose in water if the freezing point of pure water is 273-15K.

Given:

(Molar mass of sucrose = 342 g $g \ mol^{-1}$)

(Molar mass of sucrose = $180 \text{ g } mol^{-1}$)

- (b) Define the following terms.:
- (i) Molality (m)
- (ii) Abnormal molar mass

OR

- (a) 30 g of urea (M = $60 \text{ g } mol^{-1}$) is dissolved in 846 g of water. Calculate the vapour pressure of water for this solution if vapour pressure of pure water at 298 k is 23.8 mm Hg.
- (b) Write two differences between ideal solutions and non-ideal solutions.